

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:

Aki NIEMI

Group Art Unit: 2681

Application No.: 10/645,848

Examiner: Not yet assigned

Confirmation No.: 8144

Filed: August 22, 2003

Attorney Dkt. No.: 59643.00314

For: CONFERENCING SYSTEM

CLAIM FOR PRIORITY UNDER 35 USC § 119

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

January 23, 2004

Sir:

The benefit of the filing dates of the following prior foreign application filed in the following foreign country is hereby requested for the above-identified patent application and the priority provided in 35 U.S.C. §119 is hereby claimed:

Great Britain Patent Application No. **0219947** filed on **28 August 2002** in **Great Britain**


In support of this claim, certified copy of said original foreign application is filed herewith.

It is requested that the file of this application be marked to indicate that the requirements of 35 U.S.C. §119 have been fulfilled and that the Patent and Trademark Office kindly acknowledge receipt of this document.

Please charge any fee deficiency or credit any overpayment with respect to this paper
to Counsel's Deposit Account No. 50-2222.



Respectfully submitted,



Douglas H. Goldhush
Registration No. 33,125

Customer No. 32294
SQUIRE, SANDERS & DEMPSEY LLP
14TH Floor
8000 Towers Crescent Drive
Tysons Corner, Virginia 22182-2700
Telephone: 703-720-7800
Fax: 703-720-7802

DHG:kbd

Enclosure: Priority Document (1)



INVESTOR IN PEOPLE


The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ


I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed 
Dated 13 August 2003



Patents Form 1/77


Patents Act 1977
(Rule 16)

The
Patent
Office

29AUG02 E744133-54 D02825
P01/7700 0.00-0219947.9

The Patent Office

Cardiff Road
Newport
South Wales
NP9 1RH



Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

28 AUG 2002

1. Your reference	300943GB/PRS/CJH/VP		
2. Patent application number (The Patent Office will fill in this part)	0219947.9		
3. Full name, address and postcode of the or of each applicant (underline all surnames)	NOKIA CORPORATION KEILALAHDENTIE 4 FIN-02150 ESPOO FINLAND		
Patents ADP number (if you know it)	7652217001		
If the applicant is a corporate body, give the country/state of its incorporation	FINLAND		
4. Title of the invention	CONFERENCING SYSTEM		
5. Name of your agent (if you have one)	PAGE WHITE & FARRER		
"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)	54 Doughty Street London WC1N 2LS United Kingdom		
Patents ADP number (if you know it)	1255003 ✓		
6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number	Country	Priority application number (if you know it)	Date of filing (day / month / year)
7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application	Number of earlier application	Date of filing (day / month / year)	
8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if: a) any applicant named in part 3 is not an inventor, or b) there is an inventor who is not named as an applicant, or c) any named applicant is a corporate body. See note (d))	YES		

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form.
Do not count copies of the same document

Continuation sheets of this form

Description	11
Claim(s)	4
Abstract	1
Drawing(s)	2

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*)

Request for preliminary examination and search (*Patents Form 9/77*) 1

Request for substantive examination (*Patents Form 10/77*)

Any other documents
(please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature

Date 28 AUG 02

12. Name and daytime telephone number of person to contact in the United Kingdom

P R SLINGSBY
020 7831 7929

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

300943

CONFERENCING SYSTEM**Field of the Invention**

The present invention relates to a method and apparatus for setting up conference calls in communication systems, and in particular but not exclusively to wireless communication systems.

Background of the Invention

The concept of conference calls in public switched telephone networks (PSTN) is well known. PSTN conferences are typically set up by a first participant calling a specific customer support number and being supplied with a conference bridge number and a PIN code. The first participant can then provide this information to any other potential participants. The participants wishing to join the call would each dial the conference bridge number, and supply the PIN code on demand, and would subsequently be admitted to the conference call.

As an alternative, the Internet could conceivably be used to arrange conference calls. A specific web site could be accessed by a first participant, and a bridge number and PIN code could be obtained. The first participant would then be able to provide the details to other participants.

Both of these procedures allow for a mobile terminal to be involved in the conference call. However, both procedures have two main disadvantages. Firstly, a conference

call must be planned in advance. The various participants must contact each other so that they each know when the call is due to take place and can dial the conference bridge number at that time. Secondly, the participants themselves need to organise for the bridge number and the PIN code to be distributed to all participants.

There have been various models proposed for providing conferencing services in third generation Internet Protocol Multimedia Subsystem (IMS) wireless communication systems, for example in IETF draft "Models for Multi Party Conferencing in SIP", J. Rosenberg and H. Schulzrinne. Each of the models in this draft uses Session Initiation Protocol (SIP) messaging. The SIP protocol is discussed in Internet Standards RFC 3261 and RFC 2543. Some of the models are described briefly below.

The first model, known as "end system mixing", requires that one terminal involved in a conference call performs the mixing (merging) of signals and media streams sent to and from other terminals in the call. Figure 1a is a depiction of a three-way call using this model. In this example, users A and B are involved in a two-way call. At some point during the call, user A decides to bring user C into the call. To do this, user A calls user C using a completely separate SIP call. There is no call set up between B and C. Instead, A receives media streams from both B and C and mixes them. Terminal A sends a stream containing the streams of A and B to terminal C, and a stream containing A's and C's streams to terminal B. In this model, terminals B and C are unaware from a SIP perspective that the call involves more than two parties.

In the case of a call involving more than three terminals, more than one terminal may perform mixing and signalling to sustain the call. For instance, as an extension of the above-described example, user C may decide to invite a fourth user D into the

conference call. User C would then call user D and terminal C would perform the mixing of the streams it receives from terminal A with its own stream, and send the combined stream to D, and mix its own stream with that of D and send this to A. This set-up is shown in Figure 1b.

Serious disadvantages of this model are that when a mixing terminal leaves the call, the conference must end, and that there is no way for a mixing terminal to determine whether a signalling message sent to it was intended for that terminal alone or for all terminals in the conference.

A further model, using dial-in conference servers, closely mirrors the PSTN system described above. One participant defines a URI (uniform resource identifier) to identify a conference call, and sends it to other participants. The participants then each call the server, using the conference URI, which maintains point-to-point SIP relationships with each participant that calls in. The server receives media from each participant, mixes them, and sends out the appropriate mixed stream to each participant separately. This model is depicted in Figure 2, which shows four users A-D taking part in a conference call.

Dial-in conference servers are versatile in that they can be used for pre-arranged conferences or for ad hoc conferences. However, this model suffers from the fact that it is possible for the same URI to be used for more than one conference. This would cause conference sessions to be mixed.

It is an object of the present invention to provide a solution to one or more of the above-stated problems.

Summary of the Invention

According to a first aspect of the present invention there is provided a method for administering conferencing resources in a communications system comprising a plurality of terminals and a conference server, the method comprising: transmitting from a first terminal to the server a first message comprising a request for a resource capable of sustaining a conference call; allocating by means of the server a network address identifying a resource capable of sustaining the conference call; and transmitting from the server to the first terminal a second message comprising the network address.

Advantageously, the method allows for conferences to be set up on an ad hoc basis so that the conferences need not be pre-arranged. In addition, the method prevents the problem of overlapping conference sessions. This problem is overcome by providing for a server to allocate a resource for a conference, and a corresponding address for that resource. In this way, an address can be unique to a particular conference at a given time.

A further advantage of the present invention is that it allows for the use of standard SIP messages in the establishment of a conference call. Furthermore, no significant user configuration is required in the allocation of conferencing resources.

Preferably a user transmits the network address from the first terminal to terminals of other users that will take part in the conference call. Preferably connections are initiated between the terminals and the network address to establish the conference

call.

According to a second aspect of the present invention there is provided a conference server for administering conferencing resources in a communications system comprising a plurality of terminals, the conference server comprising: a receiver unit for receiving from a first terminal a first message comprising a request for a resource capable of sustaining a conference call; an allocation unit for allocating a network address identifying a resource capable of sustaining the conference call; and a transmission unit for transmitting to the first terminal a second message comprising the network address.

Preferably the receiving unit is arranged to receive from a first terminal a first message comprising a request for a resource capable of sustaining a conference call. Preferably the allocation unit is arranged to allocate a network address identifying a resource capable of sustaining the conference call. Preferably the transmission unit is arranged to transmit to the first terminal a second message comprising the network address.

The server could be provided at a single location, or by functionality that is distributed between two or more locations.

According to a third aspect of the present invention there is provided a communications system comprising: a conference server for administering conferencing resources in a communications system comprising a plurality of terminals, the conference server comprising: a receiver unit for receiving from a first terminal a first message comprising a request for a resource capable of sustaining a

conference call; an allocation unit for allocating a network address identifying a resource capable of sustaining the conference call; and a transmission unit for transmitting to the first terminal a second message comprising the network address; and a plurality of terminals including the first terminal.

Brief Description of Drawings

The present invention will now be described by way of example with reference to the accompanying drawings, in which:

Figure 1 shows a prior art model for a conferencing system;

Figure 2 shows a prior art dial-in conferencing system;

Figure 3 shows a conferencing system according to the invention.

Detailed Description of the Invention

The invention is described hereinbelow with reference to a non-limiting embodiment. In particular, the invention is described in relation to SIP signalling in a 3G IMS mobile communications network. However, the invention is not limited to such signalling or such a network.

Referring to Figure 3, two user agents 10 and 11 are shown. A first user, using user agent 10, wishes to start a conference call involving user agent 11 and sends a SIP INVITE message 21 to a well-known URI at an operator to initiate the conferencing process. That URI could be stored by the user agent 10. The INVITE message 21 indicates that user agent 10 wishes to initiate a conference, and the Request-URI

could suitably take the form:

`sip:conferences@sonera.fi`

The INVITE message could include details of the type of conference required, for example a preferred data rate. These details could be contained in the media components listed in the Session Description Protocol (SDP) payload of the INVITE 21.

The message 21 is received at a conference server 12 which is preferably a generic user agent server. At this stage, the server 12 could authenticate the conference request by transmitting a SIP message containing an authentication challenge to the user agent 10 requesting details such as a username and a password. In this case, the user would then need to provide such details, i.e. valid authentication credentials, in order for the conference request to be authorised.

Either in response to receiving message 21, or in response to receiving valid authentication information from user agent 10, the server 12 allocates a dynamic SIP URI to be used for the requested conference. The dynamic URI identifies a resource 13 that is available to be used for supporting the requested conference according to the specifications listed by the first user in the INVITE 21. The network is arranged to route to the resource, or the unit that provides the resource, communications directed to that address. To facilitate this the server is preferably arranged to allocate addresses for conferencing according to a pre-set pattern so that they will all refer to a suitable conferencing resource. The server 12 may reserve this resource so that it remains available until the requested conference begins. Alternatively, no resource

may be reserved by the server 12 but instead an available resource could be located at the time when the requested conference is initiated. The resource is capable of establishing point-to-point connections with a terminal of each participant in a conference call. It can merge the traffic signals it receives from each terminal and transmit the merged signals to the other terminals that are parties to the conference call. Those traffic signals could carry voice data or other data such as video or graphical (e.g. whiteboarding) data. The resource could be data handling capacity, bandwidth or any other resource necessary for sustaining a conference call. The resource could be provided by physical equipment such as a part of a server.

The dynamic URI is transmitted to user agent 10 by conference server 12 in a SIP message 22. The message 22 is preferably a redirection message with a code in the 3xx range, and the URI is preferably contained in the contact field of the message. An examples of the form that the contact field could suitably take is:

Contact: <sip:DKLSKX87KKJ989SHFKJH@conference.sonera.fi>

On receipt of the redirection message including the allocated URI, the user agent 10 then transmits an INVITE message 23 to the URI. The URI identifies the reserved conference resource 13, and responsive to receiving the INVITE message 23, the resource 13 sends an acknowledgement, such as a 200 OK message 24, back to user agent 10.

Once user agent 10 receives the 200 OK message, the first user can then refer the allocated URI to a second user at user agent 11. A further message, such as a SIP

REFER message 25, including the URI is transmitted from user agent 10 to user agent

11. The REFER could suitably take the form:

```
REFER sip:user_b@pp.radiolinja.fi SIP/2.0
```

with the following header:

```
Refer-To:    sip:DKLSKX87KKJ989SHFKJH@conference.sonera.fi;  
            Method=INVITE
```

Alternatively, the URI could be sent from the first user to the second user in another way.

By the above mechanism, a user can reserve a conference resource on the fly. Without any significant input on the part of the user, other participants can be connected together to form a conference call.

In response to receiving the REFER message from user agent 10, user agent 11 transmits an acknowledgement, such as a 202 accepted message 26, back to user agent 10.

User agent 11 now transmits a request message, such as an INVITE message 27, to the reserved resource 13, in response to which the resource 13 sends an acknowledgement, such as a 200 OK message 28, to user agent 11. The server 12 and resource 13 are able to communicate with each other. In this way, the server can acquire authentication information obtained by the resource from a user so that each

user can be authenticated before being allowed to join the conference. For example, it may be desirable to check that a user has a subscription enabling him to take part in conferences. Details of subscriptions could be contained in authentication information. Alternatively, or additionally, a user may be required to input a PIN for transmission to the resource 13 to confirm his identity for security reasons.

Following message 28, an acknowledgement, such as a NOTIFY message 29 with response code 200 OK, is sent from user agent 11 to user agent 10, and the conference may begin.

It will be apparent that user agent 10 can also send or REFER the dynamic URI to a number of other users so that they can take part in the conference. A further alternative is that the REFER message 25 could be directed to the conference URI. In other words, instead of referring user B to the conference, the conference could be referred to user B. The same set of messages could be used as described above, but in this case they are used with dial-out semantics.

A summary of the messages required to set up a conference according to a preferred embodiment of the invention is given below.

- 21 INVITE to sip:conferences@sonera.fi
- 22 3xx redirection including dynamic URI
- 23 INVITE to URI
- 24 200 OK
- 25 REFER to UA 11
- 26 202 accepted

- 27 INVITE to URI
- 28 200 OK
- 29 NOTIFY with response code 200 OK

The mechanism described above can also facilitate dial-in conferences. In the dial-in case, the mechanism would function in essentially the same manner as described above except that the conference URI would be delivered to prospective participants in a different way, for example via an Instant Message or email, rather than using a REFER message to invite them.

The applicant draws attention to the fact that the present invention may include any feature or combination of features disclosed herein either implicitly or explicitly or any generalisation thereof, without limitation to the scope of any definitions set out above. In view of the foregoing description it will be evident to a person skilled in the art that various modifications may be made within the scope of the invention.

CLAIMS

1. A method for administering conferencing resources in a communications system comprising a plurality of terminals and a conference server, the method comprising:

transmitting from a first terminal to the server a first message comprising a request for a resource capable of sustaining a conference call;

allocating by means of the server a network address identifying a resource capable of sustaining the conference call; and

transmitting from the server to the first terminal a second message comprising the network address.

2. A method according to claim 1 further comprising the step of transmitting from the first terminal to at least one other terminal a third message comprising the network address.

3. A method according to claim 2 further comprising initiating connections from the first terminal and the said other terminal to the network address to establish a conference call between the first terminal and the said other terminal.

4. A method according to claim 3 wherein the step of transmitting the third message comprises transmitting from the first terminal to at least two other terminals the third message comprising the network address; and wherein the initiating step comprises initiating connections from the first terminal and the said other terminals to the network address to establish the conference call between the first terminal and the said other terminals.

5. A method according to any preceding claim wherein the messages are SIP messages.
6. A method according to claim 5 wherein the first message is an INVITE message.
7. A message according to claim 5 or claim 6 wherein the second message is a redirection message.
8. A message according to any of claims 5 to 7 as dependent on claim 2 wherein the third message is a REFER message.
9. A method according to any preceding claim wherein the network address is a uniform resource identifier.
10. A method according to claim 9 wherein the network address is a dynamically generated uniform resource identifier.
11. A method according to any preceding claim wherein on establishment of the conference call the resource merges data transmitted to the network by each of the terminals that are parties to the conference call.
12. A conference server for administering conferencing resources in a communications system comprising a plurality of terminals, the conference server comprising:

a receiver unit for receiving from a first terminal a first message comprising a request for a resource capable of sustaining a conference call;

an allocation unit for allocating a network address identifying a resource capable of sustaining the conference call; and

a transmission unit for transmitting to the first terminal a second message comprising the network address.

13. A communications system comprising a conference server as claimed in claim 12, and a plurality of terminals including the first terminal.

14. A communications system according to claim 13 wherein the first terminal is adapted to transmit to at least one other terminal a third message comprising the network address.

15. A communications system according to claim 14 wherein the first terminal and the said other terminal are adapted to initiate connections to the network address to establish a conference call between the first terminal and the said other terminal.

16. A communications system according to claim 15 wherein the first terminal is adapted to transmit to at least two other terminals the third message comprising the network address; and wherein the first terminal and the said other terminals are adapted to initiate connections to the network address to establish a conference call between the first terminal and the said other terminals.

17. A communications system according to any of claims 13 to 16 wherein the messages are SIP messages.

18. A communications system according to claim 17 wherein the first message is an INVITE message.
19. A communications system according to claim 17 or claim 18 wherein the second message is a redirection message.
20. A communications system according to any of claims 17 to 19 as dependent on claim 14 wherein the third message is a REFER message.
21. A communications system according to any of claims 13 to 20 wherein the network address is a uniform resource identifier.
22. A communications system according to claim 21 wherein the network address is a dynamically generated uniform resource identifier.
23. A communications system according to any of claims 13 to 22 wherein on establishment of the conference call the resource is adapted to merge data transmitted to the network by each of the terminals that are parties to the conference call.

Abstract

A method for administering conferencing resources in a communications system comprising a plurality of terminals and a conference server, the method comprising: transmitting from a first terminal to the server a first message comprising a request for a resource capable of sustaining a conference call; allocating by means of the server a network address identifying a resource capable of sustaining the conference call; and transmitting from the server to the first terminal a second message comprising the network address.

Figure 3




Fig. 1a




Fig. 1b




Fig. 2




Fig. 3